

II. CLAIM AMENDMENTS

B 1. (Currently Amended) A video conference system, ~~characterized in that it comprises~~ comprising at least a mobile station (1), a camera (2), an acousto-electric transducer (3), an electro-acoustic transducer (4), and ~~that~~ wherein the acousto-electric transducer (3), the electro-acoustic transducer (4) and the camera (2) are arranged to be coupled to the mobile station (1) via at least one cable (5) and the camera and the acousto-electric transducer are located in the same element.

2. (Currently Amended) The video conference system according to claim 1, ~~characterized in that~~ wherein the camera (2) is an image formation unit which receives the necessary power supply from the mobile station (1), and that the processing and storage of the video image is arranged to be performed in the mobile station (1).

3. (Currently Amended) The video conference system according to claim 1, ~~characterized in that~~ wherein a portable HF set (10) ~~is composed of~~ comprises the acousto-electric transducer (3), the electro-acoustic transducer (4) and the camera (2), and wherein the acousto-electric transducer (3) is a microphone, the electro-acoustic transducer (4) is an earpiece, and ~~that~~ the camera (2) and the microphone (3) ~~constitute~~ comprise a transmission unit (11).

4. (Currently Amended) The video conference system according to claim 1, ~~characterized in that~~ wherein the acousto-electric transducer—(3), the electro-acoustic transducer—(4) and the camera—(2) ~~constitute~~ comprise a transmission unit—(11), and wherein the acousto-electric transducer (3) is a microphone and the electro-acoustic transducer—(4) is a speaker—(17).

B 5. (Currently Amended) The video conference system according to claim 3, ~~characterized in that~~ wherein the transmission unit—(11) comprises a fixing means, by means of which the transmission unit (11) is arranged to be fixed.

Sub 1 6. (Currently Amended) The video conference system according to claim 1, in which the mobile station (1) comprises an integrated microphone—(8) and an integrated earpiece—(9), ~~characterized in that~~ wherein the integrated microphone (8) and earpiece—(9) of the mobile station (1) are switched off preferably at least when the camera—(2), the acousto-electric transducer (3) and the electro-acoustic transducer—(4) are coupled to the mobile station—(1).

7. (Currently Amended) A method for forming a video conference system, ~~characterized in that~~ wherein the video conference system is ~~formed of~~ comprises at least a mobile station—(1), a camera—(2), an acousto-electric transducer—(3), and an electro-acoustic transducer—(4), and the acousto-electric transducer—(3), the electro-acoustic transducer—(4) and the camera—(2) are coupled to the mobile station—(1) by means of at least one cable (5) and the camera and the acousto-electric transducer are located in the same element.

8. (Currently Amended) The method according to claim 7, ~~characterized in that~~wherein the camera (2) is an image forming unit which receives the necessary power supply from the mobile station (1), and that the processing and storage of the video image is performed in the mobile station (1).

B
9. (Currently Amended) The method according to claim 7, ~~characterized in that~~wherein a portable HF set (10) ~~is formed of~~comprises the acousto-electric transducer (3), the electro-acoustic transducer (4) and the camera (2), and wherein the acousto-electric transducer (3) is a microphone, the electro-acoustic transducer (4) is an earpiece, and that the camera (2) and the microphone (3) ~~constitute~~ comprise a transmission unit (11).

subject
10. (Currently Amended) The method according to claim 7, ~~characterized in that~~wherein the acousto-electric transducer (3), the electro-acoustic transducer (4) and the camera (2) ~~constitute~~ comprise a transmission unit (11), and wherein the acousto-electric transducer (4) is a speaker (17).

11. (Currently Amended) The method according to claim 9, ~~characterized in that~~wherein the transmission unit (11) comprises a fixing means which is used to fix the transmission unit (11).

12. (Currently Amended) The method according to claim 7, in which the mobile station (1) ~~comprises~~ comprises an integrated microphone (8) and an integrated earpiece (9), ~~characterized in that~~wherein the integrated microphone (8) and earpiece (9) of the mobile

3
subat
station-(1) are turned off ~~preferably~~ at least when the camera
(2), the acousto-electric transducer-(3) and the electro-acoustic
transducer-(4) are coupled to the mobile station-(1).
